

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY				
4076	PETRONET MHB LIMITED/3997[HPCL]	PMHBL/3997-00-QE-9100/032/PO-059	25/7/2000	11	[W] EQUAL TEE MSS SP 75GR. WPHY 52 500 T 10.3	EIL	74				
				12	[W] EQUAL TEE MSS SP 75GR. WPHY 52 500 T 6.4	EIL	40				
				13	[W] EQUAL TEE MSS SP 75GR. WPHY 52 600 T 19.1	EIL	2				
				14	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 500 T 10.3 200 S	EIL	7				
				15	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 500 T 10.3 250 S	EIL	6				
				16	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 500 T 10.3 300 S	EIL	14				
				17	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 500 T 6.4 350 S	EIL	2				
				18	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 500 T 6.4 400 S	EIL	2				
				20	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 600 T 12.7 400 S 40	EIL	1				
				22	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 10.3 250 S 40	EIL	8				
				23	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 600 T 12.7 500 T 10.3	EIL	1				
				19	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 600 T 19.1 250 S	EIL	3				
				21	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 10.3 300 S 40	EIL	8				
				4332	DODSAL LTD.[IPCL]	524/PO/HDPL-024-EIL JOB NO.4393]	16/1/2001	1	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 450 T 8.7	SGS	65
								11	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 450 T 8.7	SGS	24
								15	[W] EQUAL TEE MSS SP 75GR. WPHY 52 450 T 8.7	SGS	18
				4425	PETRONET MHB LIMITED/3997[HPCL]	PMHBL/PO-081	12/7/2001	1	[W] EQUAL TEE MSS SP 75GR. WPHY 52 500 T 10.3	EIL	2
				4508	GAS AUTHORITY OF INDIA LTD./4701	GAIL/CP/4701-00-QE-PO/9224/2125/036	3/8/2001	7	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 60 450 T 9.5 350 T 7.9	EIL	4
				4588	PETRONET MHB LIMITED/3997[HPCL]	PMHBL/3997/046/PO-104	7/11/2001	1	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 700 T 10.3	EIL	115
								2	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 11.1	EIL	87
								3	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 700 T 10.3	EIL	57
4	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 11.1	EIL	56								
5	[W] EQUAL TEE MSS SP 75GR. WPHY 52 700 T 10.3	EIL	13								
6	[W] EQUAL TEE MSS SP 75GR. WPHY 52 750 T 11.1	EIL	14								
7	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 11.1 700 T 10.3	EIL	5								
8	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 8 700 T 10.3	EIL	6								
9	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 8 750 T 11.1	EIL	7								
10	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 600 T 12.7 300 S 40	EIL	1								
12	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 450 S 40 400 S 80	EIL	2								
13	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 10.3 300 S 40	EIL	4								

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
				14	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 750 T 11.1 500 T 7.1	EIL	1
				11	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 750 T 11.1 700 T 10.3	EIL	3
4784	GAS AUTHORITY OF INDIA LTD./4836	GAIL/CP-4836-00-QE-PO-9117/006/022	12/2/2002	9	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 60 450 T 9.5 350 T 7.9	EIL	2
				10	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 60 450 T 9.5	EIL	2
4858	BOMBAY CHEMICAL EQUIPMENTS	BCE:TPI:PO:410:2002	20/4/2002	1	[S] EQUAL TEE MSS SP 75GR. WPHY 42 300 T 15.9	EIL	3
4898	GAS AUTHORITY OF INDIA LTD./4529	GAIL/CP/4529-00-QE-PR-9139/1027/051	21/5/2002	11	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 42 250 T 12.7 150 S 120	EIL	3
				12	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 42 250 T 12.7 200 T 12.7	EIL	3
				13	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 42 300 T 15.9 200 T 12.7	EIL	3
				14	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 42 300 T 15.9 250 T 12.7	EIL	3
				18	[S] EQUAL TEE MSS SP 75GR. WPHY 42 300 T 10.3	EIL	7
				26	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 42 300 T 10.3 150 S 80	EIL	4
				27	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 42 300 T 15.9 200 T 12.7	EIL	2
				29	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 250 T 12.7	EIL	18
				31	[S] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 300 T 10.3	EIL	4
				32	[S] UNEQUAL TEE MSS SP 75GR. WPHY 42 300 T 10.3 150 S 80	EIL	2
				45	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 250 T 8.7	EIL	55
				44	[S] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 250 T 8.7	EIL	4
				46	[S] UNEQUAL TEE MSS SP 75GR. WPHY 42 250 T 8.7 150 S 80	EIL	4
				47	[S] UNEQUAL TEE MSS SP 75GR. WPHY 42 250 T 8.7 200 T 8.2	EIL	3
				43	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 42 250 T 8.7 100 S 80	EIL	4
				30	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 300 T 10.3	EIL	37
4993	BHARAT PETROLEUM CORPORATION LTD./4865	BPCL/MMPL/4865/9090/0008/22A/4500386896	12/9/2002	6	[W] EQUAL TEE MSS SP 75GR. WPHY 52 450 T 14.3	EIL	1
				8	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 450 T 14.3 350 T 11.9	EIL	1

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
5179	GAS AUTHORITY OF INDIA LTD./4529	GAIL/CP/4529-00-QE-PR-9139/1027/051 AMN1	20/11/2002	30	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 300 T 10.3	EIL	3
5309	GAIL (INDIA) LIMITED/4844	GAIL/NOIDA/C&P/4844/02/185/010/C-318	26/2/2003	4	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 600 T 17.5	EIL	46
				5	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 22.2	EIL	14
				8	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 22.2	EIL	13
				16	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 600 T 17.5 400 S 80	EIL	4
				23	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 450 T 14.3	EIL	6
				24	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 500 T 14.3	EIL	15
				25	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 600 T 17.5	EIL	39
				26	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 22.2	EIL	14
				28	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 22.2	EIL	6
				32	[W] EQUAL TEE MSS SP 75GR. WPHY 52 600 T 17.5	EIL	9
				36	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 14.3 300 S 60	EIL	2
				37	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 600 T 17.5 400 S 80	EIL	4
				12	[W] EQUAL TEE MSS SP 75GR. WPHY 52 600 T 17.5	EIL	8
				22	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 400 T 19.1	EIL	24
5347	ABAN CONSTRUCTION PVT.LTD./MUMBAI PORT	274/JMP/12/L-0809/02	8/4/2003	7	[W] BARRED EQUAL TEE MSS SP 75GR. WPHY 42 600 T 7.9	BV	13
				8	[W] BARRED EQUAL TEE MSS SP 75GR. WPHY 42 500 T 7.9	BV	30
				10	[W] BARRED UNEQUAL TEE MSS SP 75GR. WPHY 42 500 T 7.9 350 T 7.9	BV	7
				9	[W] BARRED UNEQUAL TEE MSS SP 75GR. WPHY 42 600 T 7.9 350 T 7.9	BV	1
				12	[W] EQUAL TEE MSS SP 75GR. WPHY 42 500 T 7.9	BV	15
				15	[W] UNEQUAL TEE MSS SP 75GR. WPHY 42 500 T 7.9 350 T 7.9	BV	8
				23	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 600 T 7.92	BV	30
				24	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 42 500 T 7.92	BV	113
				1	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 42 600 T 7.9 300 T 6.35	BV	3
				14	[W] UNEQUAL TEE MSS SP 75GR. WPHY 42 600 T 7.9 300 T 7.9	BV	1
5491	GAIL (INDIA) LIMITED/4844	4844/1024/097	20/6/2003	13	[W] EQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2	EIL	5
				16	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 350 S 60	EIL	4
				17	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 600 T 17.5	EIL	2

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
				18	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 500 T 14.3	EIL	1
				19	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 400 S 80	EIL	4
				20	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 25.4 600 T 17.5	EIL	2
				23	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 750 T 22.2 600 T 17.5	EIL	2
				24	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 900 T 25.4 600 T 17.5	EIL	1
				45	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 450 T 14.3	EIL	3
				46	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 500 T 14.3	EIL	1
				58	[W] EQUAL TEE MSS SP 75GR. WPHY 52 600 T 17.5	EIL	4
				59	[W] EQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2	EIL	10
				63	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 600 T 17.5	EIL	12
				64	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.5 350 S 60	EIL	9
				65	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.5 400 S 80	EIL	3
				66	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.5 250 S 60	EIL	1
				67	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 25.4 500 T 14.3	EIL	3
				68	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 25.4 600 T 17.5	EIL	1
				69	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 900 T 25.4 750 T 22.2	EIL	2
				75	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 14.3 300 S STD	EIL	3
				78	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 750 T 22.2 500 T 14.3	EIL	2
				79	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 750 T 22.2 600 T 17.5	EIL	12
5540	GAIL (INDIA) LIMITED/4844	GAIL-CP-4844-00-QE-PO-9391-2332-119	23/7/2003	2	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 600 T 17.5	EIL	9
				3	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 750 T 22.2	EIL	4
				5	[W] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 500 T 14.3 300 S 60	EIL	3
5573	GAIL (INDIA) LIMITED/6289	GAIL/CP/6289-2340-029	13/8/2003	1	[W] 90 DEG. ELBOW LR, R=3D MSS SP 75GR. WPHY 52 300 T 9.5	EIL	2

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
5540	GAIL (INDIA) LIMITED/4844	GAIL-CP-4844-00-QE-PO-9391-2332-119	23/7/2003	4	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 400 T 19.1 250 S 120	EIL	3
5608	GAIL (INDIA) LIMITED/4844	4844/1024/097 AMND	1/9/2003	65	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 750 T 22.2 400 S 80	EIL	1
5702	GAIL (INDIA) LIMITED/6289	GAIL/CP/6289-2344-9171-051	27/10/2003	5	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 300 T 11.1	EIL	2
				6	[S] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 300 T 11.1	EIL	1
				8	[S] EQUAL TEE MSS SP 75GR. WPHY 52 300 T 11.1	EIL	2
				12	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 300 T 11.1 150 S XS	EIL	1
				13	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 300 T 11.1 250 T 9.5	EIL	2
5540	GAIL (INDIA) LIMITED/4844	GAIL-CP-4844-00-QE-PO-9391-2332-119	23/7/2003	1	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 400 T 19.1	EIL	9
5830	GAIL (INDIA) LIMITED/6289	GAIL-CP-6289-00-QE-PO-9233-2346-066	31/12/2003	47	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 600 T 19.1 400 T 12.7	EIL	2
				14	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 350 T 11.9	EIL	4
				25	[S] EQUAL TEE MSS SP 75GR. WPHY 52 350 T 11.9	EIL	1
				36	[S] UNEQUAL TEE MSS SP 75GR. WPHY 52 350 T 11.9 150 S XS	EIL	4
				37	[S] UNEQUAL TEE MSS SP 75GR. WPHY 52 350 T 11.9 200 S XS	EIL	2
				44	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 350 T 11.9 200 S XS	EIL	3
				45	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 400 T 12.7 300 T 11.1	EIL	1
				46	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 400 T 12.7 350 T 11.9	EIL	2
5836	HAZIRA LNG PVT.LTD./6316	HAZ-PL-PO-0015	18/12/2003	2	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 700 T 22.2	EIL	6
				4	[W] 45 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 700 T 22.2	EIL	2
				6	[W] EQUAL TEE MSS SP 75GR. WPHY 52 700 T 22.2	EIL	5
				7	[W] UNEQUAL TEE MSS SP 75GR. WPHY 52 700 T 22.2 300 S 80	EIL	2
5896	HINDUSTAN PETROLEUM CORPORATION LD./8	EM-2288/E&P/ENG-194/BH	14/1/2004	2	[W] EQUAL TEE MSS SP 75GR. WPHY 52 400 T 12.7	DNV	1
				6	[W] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 400 T 12.7	DNV	5
5919	GAIL (INDIA) LIMITED/6289	GAIL/CP-6289-00-QE-PO-9273/026/075	21/1/2004	3	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 250 T 9.5	EIL	4
				4	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 350 T 11.9	EIL	3
				21	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 350 T 11.9 250 T 9.5	EIL	2
6265	SUPREME OFFSHORE CONSTNS.&TECHNICAL	SOL/MHN & H/03/258/006	2/6/2004	38	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 200 S XS 150 S 120	DNV	3
				39	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 250 S 80 200 S XS	DNV	5
				64	[S] 90 DEG. ELBOW LR, R=1.5D MSS SP 75GR. WPHY 52 200 S XS	DNV	1

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
				69	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 200 S XS 150 S 160	DNV	1
				96	[S] CONCENTRIC REDUCER MSS SP 75GR. WPHY 52 250 T 15.87 200 T 12.7	DNV	7
6296	GAMMON INDIA LTD.,	8206/76	10/6/2004	2	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 60 600 T 12.7 450 T 9.5	BV	1
				3	[W] ECCENTRIC REDUCER MSS SP 75GR. WPHY 60 450 T 9.5 300 T 9.5	BV	2
6335	MULTITEX FILT.ENGINEERS PVT.LTD.	6691/WC-304	2/7/2004	1	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 300 T 12.7 200 T 10.31	EIL	2
				2	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 350 T 12.7 200 T 10.31	EIL	2
6580	MDL CONSTRUCTION PVT.LTD.	MDL/RSPPPM/PMTO/46/01	30/9/2004	255	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 200 T 20.7 150 S 160	BV	5
				257	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 250 T 15.9 200 T 20.7	BV	4
				592	[F] WELDOLET MSS SP 75GR. WPHY 52 50 S 160 150 T 14.3	BV	18
				593	[F] WELDOLET MSS SP 75GR. WPHY 52 50 S 160 200 T 20.7	BV	38
				594	[F] WELDOLET MSS SP 75GR. WPHY 52 80 S 160 200 T 20.7	BV	13
				595	[F] WELDOLET MSS SP 75GR. WPHY 52 50 S 160 250 T 15.9	BV	13
				596	[F] WELDOLET MSS SP 75GR. WPHY 52 100 S 120 250 T 15.9	BV	4
				256	[S] ECCENTRIC REDUCER MSS SP 75GR. WPHY 52 200 T 20.7 150 T 14.3	BV	8
7300	ESSAR PROJECTS LTD./SWASTIK/JAMNAGAR	006.0262.08000.69001	25/5/2005	1	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 1200 T14.27	PART	3
				2	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 1050 T12.7	PART	6
				3	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 750 T12.7	PART	4
				10	WELDED ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 1050 T12.7	PART	3
				11	WELDED TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 1200 T14.27 X 600 T9.52	PART	4
				12	WELDED TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 52 ASME B 16.9-2001 - Size : 1050 T12.7	PART	1
7456	LARSEN & TOUBRO LTD./GSPL/NEW	A01260/EPR00208	13/7/2005	8	SEAMLESS CAP BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 450 SXS	PART	5
				9	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 450 SXS	PART	2
				11	WELDED ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 750 T17.5	PART	2

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
				12	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 750 T17.5	PART	9
7538	MULTITEX FILT.ENGINEERS LTD./217	7760/WC-1317	8/8/2005	1	SEAMLESS TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 52 - Size : 450 T18 X 350 T15.9	EIL	4
7575	LARSEN & TOUBRO LTD./GSPL[ECC.CO]AHD	A01260/EPR00320	25/8/2005	2	SEAMLESS CAP BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 450 SXS	PART	2
7584	ESSAR CONSTRUCTION LIMITED/MUM	ECL/ADPL/021	23/8/2005	1	WELDED TEE UNEQUAL FLOW BUTT WELD MSS SP 75 GR.WPHY 65 - Size : 450 T10.3 X 300 S80	PART	3
7715	GALFAR ENGINEERING & CONTRACTING	008030	10/10/2005	3	SEAMLESS ELBOW 45D R=5D BUTT WELD MSS SP 75 GR.WPHY 60 - Size : 150 T9.53	PART	173
				4	SEAMLESS ELBOW 90D R=5D BUTT WELD MSS SP 75 GR.WPHY 60 - Size : 150 T9.53	PART	173
7836	JAY SOMNATH IRON WORKS/GANDHI	JS/GSPT-755/2/TPI/2005/846	8/12/2005	1	WELDED REDUCER CONCENTRIC BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 750 T17.5 X 600 T12.7	PART	1
				2	SEAMLESS CAP BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 750 T17.5	PART	1
				3	SEAMLESS CAP BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 600 T17.5	PART	2
7862	ESSAR CONSTRUCTION LIMITED/MUM	ECL/ARPL/033-Amendment 1	21/1/2006	1	WELDED TEE EQUAL FLOW BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 600 T14.31	GLRS	2
				2	WELDED TEE UNEQUAL FLOW BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 600 T14.31 X 450 T14.31	GLRS	4
				3	WELDED TEE EQUAL FLOW BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 450 T14.31	GLRS	1
				4	WELDED TEE EQUAL FLOW BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 450 T10.31	GLRS	1
				5	WELDED TEE UNEQUAL FLOW BUTT WELD ASTM A 860 WPHY 65 ASME B 16.9-2001 - Size : 450 T10.31 X 300 T10.31	GLRS	3
7882	KALHOUR TRADING CO., (L.L.C.)	33786	1/1/2006	1	WELDED REDUCER ECCENTRIC BUTT WELD MSS SP 75 GR.WPHY 60 ASME B 16.9-2001 - Size : 1000 T22.2 X 900 T22.2	TPI	2
7886	LARSEN & TOUBRO LTD./GSPL/NEW	HQ:MTLS:SDT-SRJ.0146	29/12/2005	1	WELDED TEE FLOW BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 600 S30	PART	3
				2	WELDED TEE UNEQUAL FLOW BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 600 S30 X 450 S30	PART	5
7903	LARSEN & TOUBRO LTD./GSPL/NEW	A01360/EPR00120	4/1/2006	9	WELDED TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 600 S30 X 200 S30	GLRS	12
7940	LARSEN & TOUBRO LTD./GSPL[ECC.CO]AHD	A01260/EPR00570	12/1/2006	1	SEAMLESS CAP BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 450 SXS	GLRS	2
7964	HINDUSTAN CONSTRUCTION CO. LTD/MBY	LOI/567/PMR/2493	20/1/2006	1	WELDED TEE FLOW BUTT WELD ASTM A 860 WPHY 65 MSS SP 75 - Size : 450 T10.3 X 200 T6.4	PART	1
				2	WELDED TEE FLOW BUTT WELD ASTM A 860 WPHY 65 MSS SP 75 - Size : 450 T10.3 X 300 T7.1	PART	3
				3	WELDED TEE FLOW BUTT WELD ASTM A 860 WPHY 65 MSS SP 75 - Size : 450 T10.3	PART	2
				4	WELDED TEE FLOW BUTT WELD ASTM A 860 WPHY 65 MSS SP 75 - Size : 450 T10.3 X 150 T7.1	PART	2
8019	GALFAR ENGINEERING & CONTRACTING	008538	19/2/2005	10	SEAMLESS ELBOW 45D R=5D BUTT WELD MSS SP 75 GR.WPHY 60 - Size : 150 T9.53	TPI	96

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No	DESCRIPTION	INSP	QTY
				12	SEAMLESS ELBOW 90D R=5D BUTT WELD MSS SP 75 GR.WPHY 60 - Size : 150 T9.53	TPI	96
8039	LARSEN & TOUBRO LTD./GSPL[ECC.CO]AHD	A01260/EPR00579	20/1/2006	1	WELDED ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 65 ASME B 16.9-2001 - Size : 450 SXS	PART	9
8119	STEWARTS AND LLOYDS OF INDIA LTD/CAL [W]	238,239,240,241,242,243	3/4/2006	14	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 200 T11.1	PART	2
				27	SEAMLESS TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	4
				15	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 250 SXS	PART	3
				16	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 300 S60	PART	2
				17	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 300 S60	PART	2
				18	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	2
				19	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	4
				20	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	4
				23	WELDED ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60	PART	3
				13	SEAMLESS ELBOW 90D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 200 T11.1	PART	2
				28	SEAMLESS TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	4
				33	WELDED TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60	PART	1
				34	WELDED TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60	PART	1
				40	SEAMLESS TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 200 T11.1	PART	1
				41	SEAMLESS TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 200 T11.1	PART	1
				42	SEAMLESS TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 300 T14.3	PART	2
43	SEAMLESS TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 300 T14.3	PART	2				

TPI's DETAILS OF HIGH YIELD W P H Y PIPE FITTINGS SUPPLIED TO VARIOUS CLIENTS.

W.No	CONAME	ORDNO	ORD.DT	Sr.No		INSP	QTY
			3/4/2006	44	WELDED TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60 X 250 SXS	PART	1
			3/4/2006	45	WELDED TEE UNEQUAL BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60 X 350 T15.9	PART	2
			3/4/2006	51	WELDED REDUCER CONCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60 X 250 SXS	PART	1
			3/4/2006	52	WELDED REDUCER CONCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 S60 X 250 SXS	PART	1
			3/4/2006	55	SEAMLESS REDUCER CONCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 200 T11.1	PART	2
			3/4/2006	56	SEAMLESS REDUCER CONCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 200 T11.1	PART	2
			3/4/2006	59	SEAMLESS REDUCER ECCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 300 S60	PART	2
			3/4/2006	60	SEAMLESS REDUCER ECCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9 X 300 S60	PART	2
			3/4/2006	66	WELDED REDUCER ECCENTRIC BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 T19.1 X 400 T17.5	PART	2
			3/4/2006	72	SEAMLESS ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	2
			3/4/2006	73	SEAMLESS ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.9	PART	2
			3/4/2006	76	WELDED ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 T19.1	PART	1
			3/4/2006	77	WELDED ELBOW 45D LR, R=1.5D BUTT WELD MSS SP 75 GR.WPHY 42 MSS SP 75 - Size : 450 T19.1	PART	1
8154	INDIAN OIL TANKING LTD.	PO/IOTL/HPCL/LON/013/[AMND]	15/2/2006	18	SEAMLESS TEE EQUAL BUTT WELD MSS SP 75 GR.WPHY 42 ASME B 16.9-2001 - Size : 350 T15.09	TPI	3